
# DANISH METEOROLOGICAL INSTITUTE

MINISTRY OF TRANSPORT

# TECHNICAL REPORT ——— 04-03

# DMI Daily Climate Data Collection 1873-2003, Denmark and Greenland

Ellen Vaarby Laursen Weather and Climate Information Division





**COPENHAGEN 2004** 



Copyright: © Danish Meteorological Institute 2004

Danish Meteorological Institute Lyngbyvej 100 DK-2100 Copenhagen Denmark

Phone: +45 39 15 75 00 Fax: +45 39 27 10 80 E-mail: dmi@dmi.dk Internet: www.dmi.dk

It is allowed to copy and extract from the publication with a specification of the source material.

# ISSN 0906-897X ISSN (ONLINE) 1399-1388

This DMI Technical Report (pdf-format) and accompanying dataset (ASCII format) may be downloaded from the publication part of the Internet home site of the Danish Meteorological Institute: www.dmi.dk look for 'publications', look for 'Technical Reports'.



# Contents

I. Pr	eface	4
2. Int	troduction	5
	ata Site Maps	
3.1.	Danish stations	
3.2.	Greenland stations	
4. De	enmark	
4.1.	Precipitation	
4.2.	Minimum temperature	
4.3.	Maximum temperature	
4.4.	Air temperature at 14:00 hours DNT/ 12:00 UTC	
4.5.	Daily cloud cover at 8:00, 14:00 and 21:00 hours DNT	
4.6.	Air pressure	
	Daily averages	13
	Reduction to MSL	14
5. Gr	reenland	16
5.1.	Precipitation	16
5.2.	Minimum temperature	
5.3.	Maximum temperature	16
6. M	etadataetadata	17
6.1.	The monthly series	
6.2.	The series of air pressure	
7. Co	ontents of CD-ROM	
7.1.	Observed daily precipitation files: P <station number="">.dat</station>	24
7.2.	Daily minimum temperature files: Tn <station number="">.dat</station>	
7.3.	Daily maximum temperature files: Tx <station number="">.dat</station>	
7.4.	Daily air temperature at 14:00 hours files: Ttt27080.dat	
7.5.	Daily cloud cover at 8, 14 and 21 hours file: n27080.dat	
7.6.	Daily air pressure files: pppp <station number="">.dat</station>	
7.7.	Station instrumentation file: St_instr.dat	28
7.8.	Station angles file St_ang.dat	29
7.9.	Station position file: St_pos.dat	29
8 Re	eferences	30



## 1. Preface

This DMI Technical Report contains an update of the DMI daily climate data previously published in DMI Technical Report No. 01-10 (Laursen et al. 2001) and DMI Technical Report No. 02-15 (Laursen 2002) together with an addition of daily pressure series.

The intension for this report is to contain the available long daily DMI data series and preferably to keep the report contents updated on a regular basis. The similar collection of long DMI *monthly* climate data series is found in (Jørgensen and Laursen 2003).

#### **CAUTION:**

It must be stressed that these long daily data series are not necessarily homogenized as such, and the report description of each series should therefore as a minimum be read carefully before applying the data series for climate research purposes.

9 January 2004 Ellen Vaarby Laursen Weather and Climate Information Division



## 2. Introduction

Analysis and modelling of climatic change and the related analysis of observed climatic data now also increasingly calls for long time series of *daily* climate data. The present report may be seen as an answer to this.

The digitisation of a great part of the data of this report and also much of the station history presented are results of various projects.

With regard to the Danish observations should be mentioned the WASA project<sup>1</sup>, the ACCORD<sup>2</sup> project, the NACD<sup>3</sup> project and the Danish CD-ROM "Vejr & Vind". Also should be mentioned that parts of the digitisation that took place during spring 1999 was funded by the Danish Climate Centre, situated at the DMI. The old daily series of maximum temperature, minimum temperature and precipitation from 34360 Tasiilaq on the east coast of Greenland were digitised thanks to KVUG<sup>5</sup>.

The DMI contribution of daily values to the European Climate Assessment & Dataset (ECA&D)<sup>6</sup> will be taken from this report. ECA&D was initiated by the European Climate Support Network (ECSN<sup>7</sup>) and is supported by the Network of European Meteorological Services (EUMETNET<sup>8</sup>).

Digitisation of the observations is only the first step towards sensible utilisation of the observations for climate change studies. Next follows testing for homogeneity of the series, ensuring that any discovered trend are natural. Thus it must be stressed that the series presented here mostly consist of the values *as observed by the Institute at the time*, and that no testing for homogeneity has been performed on these daily observations. But as help towards such testing, various metadata together with homogeneity test results on relevant series of *monthly* data (and references as to both) have been included in the report. For supplementary metadata see also (Laursen 2003).

<sup>&</sup>lt;sup>1</sup> WASA: 'The impact of storms on waves and surges: Changing climate in the past 100 years and perpectives for the future'. See (Schmith et al. 1997).

<sup>&</sup>lt;sup>2</sup> EU project number ENV-4-CT97-0530: Atmospheric Circulation Classification and Regional Downscaling.

<sup>&</sup>lt;sup>3</sup> EU project number EV5V CT93-0277: North Atlantic Climatological Dataset. See (Frich et al. 1996).

<sup>&</sup>lt;sup>4</sup> Vejr & Vind. CD-ROM. Munksgaard Multimedia, Copenhagen 1997.

<sup>&</sup>lt;sup>5</sup> The Commission for Scientific Research in Greenland: 'Kommissionen for Videnskabelige Undersøgelser i Grønland'

<sup>&</sup>lt;sup>6</sup> See project homepage: http://www.knmi.nl/samenw/eca/

<sup>&</sup>lt;sup>7</sup> http://www.eumetnet.eu.org/ECSN home.htm

<sup>8</sup> http://www.eumetnet.eu.org/



# 3. Data Site Maps

### 3.1. Danish stations

From Denmark there are daily precipitation, temperature, cloud cover and air pressure data as shown on the two maps, figure 3-1 and figure 3-2.




Figure 3-1. The seven Danish sites with digitised daily precipitation, temperature and/or cloud cover observations, 1874-2003. The stations representing each site are listed in the tables 4-1-4-5. For station coordinates confer with the station position file on the CD-ROM included.






Figure 3-2. Location of the five series of daily pressure. Together the five series cover three sites with data 1874-2003. For station co-ordinates confer with the station position file on the CD-ROM included.



## 3.2. Greenland stations

From Greenland there are daily precipitation and daily maximum and minimum temperature from the two sites shown in figure 3-3.




Figure 3-3. The location of the two Greenlandic sites with long daily data series: Ilulissat (formerly: Jacobshavn) on the West Coast and Tasiilaq (formerly: Angmagssalik) on the East Coast. For station co-ordinates confer with the station position file on the CD-ROM included.



# 4. Denmark

# 4.1. Precipitation

Seven Danish sites have long series of daily precipitation. Table 4-1 presents an over view of the station data series (identified by the station name and number) making up the long series. Overlap periods have been included when available.

Site and period	Station	Start	End
Vestervig 1874-2003	21100 Vestervig	1 January 1874	31 December 2003
Grønbæk 1874-2003	21430 Grønbæk/ Allingskovgård	1 September 1874	31 December 2003
Nordby/Fanø 1874-2003	25140 Nordby	1 January 1874	31 December 2003
Broderup 1920-2003	26410 Broderup/Bajstrup/ Gårdeby/Rødebæk/ Broderup Mark 26400 Store Jyndevad 26409 Tinglev	1 July 1920 1 July 1987 1 June 1995	30 June 1993 31 December 2003 31 December 2003
Tranebjerg 1872-2003	27080 Tranebjerg 27082 Tranebjerg Øst	1 December 1872 02 August 2001	01 August 2001 31 December 2003
København 1874-2003	30380 Landbohøjskolen 30210 Meteorologisk Institut 30210 Meteorologisk Institut 30370 Botanisk Have	1 January 1874 1 January 1875 1 January 1961 1 January 1961	1 October 1996 30 June 1922 31 December 1984 31 December 2003
Hammer Odde 1874-2003	32030 Sandvig 32020 Hammer Odde Fyr 06193 Hammer Odde Fyr	1 January 1874 1 January 1961 1 January 1984	31 December 1970 30 June 1987 31 December 2003

Table 4-1. Series of daily precipitation.



# 4.2. Minimum temperature

Five Danish sites have long series of daily minimum temperature. Table 4-2 presents an over view of the station data series (identified by the station name and number) making up the long series. Overlap periods have been included when available.

Site and period	Station	Start	End
Vestervig	21100 Vestervig	19 June 1874	10 September 2003
1874-2003	06051 Vestervig	02 October 2003	31 December 2003
Nordby/Fanø	25140 Nordby	1 May 1874	18 July 2003
1874-2003	06088 Nordby	25 July 2003	31 December 2003
Tranebjerg	27080 Tranebjerg	1 December 1872	10 August 2003
1872-2003	06132 Tranebjerg	21 August 2003	31 December 2003
København	30380 Landbohøjskolen	1 January 1874	30 June 1997
1874-2003	06186 Landbohøjskolen	1 December 1995	31 December 2003
Hammer Odde 1874-2003	32030 Sandvig 32020 Hammer Odde Fyr 06193 Hammer Odde Fyr	1 January 1874 1 January 1971 1 January 1984	31 December 1970 24 June 1987 31 December 2003

Table 4-2. Series of daily minimum temperature.



## 4.3. Maximum temperature

Five Danish sites have long series of daily maximum temperature. Table 4-3 presents an over view of the station data series (identified by the station name and number) making up the long series. Overlap periods have been included when available.

Site and period	Station	Start	End
Vestervig	21100 Vestervig	2 August 1874	10 September 2003
1874-2003	06051 Vestervig	02 October 2003	31 December 2003
Nordby/Fanø	25140 Nordby	2 May 1874	18 July 2003
1874-2003	06088 Nordby	25 July 2003	31 December 2003
Tranebjerg	27080 Tranebjerg	1 January 1873	10 August 2003
1873-2003	06132 Tranebjerg	21 August 2003	31 December 2003
København	30380 Landbohøjskolen	1 January 1874	30 June 1997
1874-2003	06186 Landbohøjskolen	1 December 1995	31 December 2003
Hammer Odde 1874-2003	32030 Sandvig 32020 Hammer Odde Fyr 06193 Hammer Odde Fyr	2 April 1874 1 January 1971 1 January 1984	31 December 1970 24 June 1987 31 December 2003

Table 4-3. Series of daily maximum temperature.



# 4.4. Air temperature at 14:00 hours DNT/ 12:00 UTC

Site and period Stati	ion	Start	End
3 &	30 Tranebjerg 32 Tranebjerg		20 August 2003 31 December 2003

Table 4-4. The series of daily air temperature at 14:00 hours DNT/12:00 UTC

# 4.5. Daily cloud cover at 8:00, 14:00 and 21:00 hours DNT

Site and period	Station	Start	End
Tranebjerg 1872-2000	27080 Tranebjerg	1 December 1872	31 January 2000

Table 4-5. The series of daily cloud cover at 8:00, 14:00 and 21:00 hours DNT.



#### 4.6. Air pressure

This report presents pressure data from five series to cover three sites 1874-2003 as shown in table 4-6. It is common for all three sites that the pressure measurements started 1874 at national climate stations. In Denmark measurements of air pressure was stopped at the climate stations in 1987. Therefore the pressure series had to be continued from nearby synoptic stations measuring air pressure. One of the series, that of '06193 Hammer Odde Lighthouse', consists of data from stations sufficiently close that it was straightforward to present the data in one series, 1874-2001. For the other two sites, the synoptic stations are a little further apart from the old climate stations and I have therefore chosen to present the data from those two synoptic stations as independent series. In both cases there should nonetheless be sufficient overlap for it to be fairly straightforward for the reader to merge the data into long series for the old Vestervig and Nordby sites also, just as it was done for the pressure observations of the WASA project.

Site and period	Station	Start	End	# missing values in period
Vestervig	21100 Vestervig	01 January 1874	01 August 1987	46 39
1874-2003	06052 Thyborøn	02 March 1962	31 December 2003	
Nordby/Fanø	25140 Nordby	01 January 1874	01 August 1987	245
1874-2003	06080 Esbjerg Airport	29 March 1959	31 December 2003	1863
Hammer Odde 1874-2003	32030 Sandvig <b>or</b> 32020 Hammer Odde Fyr 06193 Hammer Odde Fyr	01 January 1874 - 02 June 1987	- 1 June 1987 31 December 2003	930 63

Table 4-6. Series of daily air pressure (MSL). In the data files the Hammer Odde series is presented with the station number 06193, 1874-2003.

#### Daily averages

At DMI daily averages on observations are on principle made for the meteorological day from (but not including) the previous day at 6 UTC until and including the actual day at 6 UTC and the meteorological day is given the date of the day it ends. The observation hours and observation frequencies varies for the station types used, therefore details on the number of observations forming part of the daily values are included below.

#### 21100 Vestervig and 25140 Nordby:

The daily average (approximating the '6 UTC to 6 UTC' definition) is made from three measurements: 14 and 21 DNT the previous day and 8 DNT on the actual day (or of as many of the three that are available). The date of the daily value is the date of the day it ends. The observations were station level and was reduced to MSL following the formulas described in the subsection 'reduction to MSL' below.

#### 06052 Thyborøn:

The data are averaged over the meteorological day (6 UTC to 6 UTC). The average was made from the available measurements at 9, 12, 15, 18, 21, 00, 03 and 06 UTC if at least four of these measurements were available. The data are MSL pressure.

#### 06080 Esbjerg Airport:

#### Danish Meteorological Institute Technical Report 04-03

The data are averaged over the meteorological day (6 UTC to 6 UTC). The average was made from the available measurements at 9, 12, 15, 18, 21, 00, 03 and 06 UTC if at least four of these measurements were available. The data are MSL pressure. During the period 1964-1971 the station in the winter only has measurements during daytime and consequently many daily averages are missing during that period.

#### 06193 Hammer Odde Fyr:

1874.01.01 –1 June 1987 the data are from the climate stations 32030 Sandvig and 32020 Hammer Odde Fyr and the averaging follows that of 21100 Vestervig and 25140 Nordby. The observations were station level and was reduced to MSL following the formulas described in the subsection 'reduction to MSL' below.

2 June 1987 – 31 December 2003 the data are from 06193 Hammer Odde Fyr and the averaging follows that of 06052 Thyborøn.

#### Reduction to MSL

As part of the WASA project selected DMI series of pressure observations 1874-1970 were digitised. The pressure observations were digitised from the meteorological yearbook which means that the observations were station level data corrected for index error, temperature and, since 1893, gravity. These observation data are now stored at DMI in the database 'klimadb' in the table 'wasa' (both original mm Hg units and recalculated to hPa). Pressure observations from the climate stations since 1971 are stored in the table 'clima\_man'. These are likewise station level data corrected for index error, temperature and gravity (only hPa units). For the present dataset the pressure was also reduced to mean sea level. This was done by applying the formulas of tables 4-7, 4-8, 4-9 and 4-10 (Schmith et al. 1997), (Brandt and Schmith 1994).

	Station 21100 Vestervig			
		Reduction to mean sea level		
First month	Last	Pressure reduced to mean sea level (0.1 hPa) =		
(yyyy.mm)	month			
	(yyyy.mm)			
	1879.06	P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))		
1879.07	1883.09	P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))		
1883.10	1892.12	P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))		
1893.01	1924.06	P*(1+9.82/287.04 * 25.0/(T/10+273.15))		
1924.07	1937.03	P*(1+9.82/287.04 * 19.3/(T/10+273.15))		
1937.04	1946.03	P*(1+9.82/287.04 * 27.0/(T/10+273.15))		
1946.04	1946.04	P*(1+9.82/287.04 * 19.0/(T/10+273.15))		
1946.05		P*(1+9.82/287.04 * 19.6/(T/10+273.15))		

Table 4-7. Formulas to obtain mean sea level pressure from the data in the DMI database 'klimadb', tables 'wasa' (1874-1970) and 'clima\_man' (1971-1987). Until and including 1892 the formulas are also correcting the pressure for gravity. The formulas were deduced as part of the WASA project and are stored in the 'klimadb's table 'wasa\_formula'. 'P' is the station level pressure (0.1 hPa) and 'T' is the temperature at station level (0.1°C).



	Station 25140 Nordby			
		Reduction to mean sea level		
First	Last	Pressure reduced to mean sea level (0.1 hPa) =		
(yyyy.mm)	(yyyy.mm)			
	1892.04	P*(1-0.00259*cos(2*55.5*3.14/180))*(1+9.82/287.04*5.5/(T/10+273.15))		
1892.05	1892.12	P*(1-0.00259*cos(2*55.5*3.14/180))*(1+9.82/287.04*8.0/(T/10+273.15))		
1893.01	1899.11	P*(1+9.82/287.04 * 8.0/(T/10+273.15))		
1899.12	1928.07	P * (1 + 9.82/287.04 * 5.5/(T/10+273.15))		
1928.08	1936.03	P*(1+9.82/287.04 * 10.5/(T/10+273.15))		
1936.04	1944.11	P*(1+9.82/287.04 * 6.9/(T/10+273.15))		
1944.12	1945.05	P*(1+9.82/287.04 * 7.0/(T/10+273.15))		
1945.06	1955.11	P*(1+9.82/287.04 * 3.0/(T/10+273.15))		
1955.12	1960.08	P*(1+9.82/287.04 * 9.7/(T/10+273.15))		
1960.09		P*(1+9.82/287.04 * 6.7/(T/10+273.15))		

Table 4-8. Formulas to obtain mean sea level pressure for station 25140 Nordby from the data in the DMI database 'klimadb', tables 'wasa' (1874-1970) and 'clima\_man' (1971-1987). Until and including 1892 the formulas are also correcting the pressure for gravity. The formulas were deduced as part of the WASA project and are stored in the 'klimadb's table 'wasa\_formula'. 'P' is the station level pressure (0.1 hPa) and 'T' is the temperature at station level (0.1°C).

	Station 32030 Sandvig:				
	Reduction of air pressure to mean sea level.				
First	Last	Pressure reduced to mean sea level (0.1 hPa) =			
(yyyy.mm)	(yyyy.mm)				
-	1892.12	P*(1-0.00259*cos(2*55.25*3.14/180))*(1+9.82/287.04*15.1/(T/10+273.15))			
1893.01	1942.08	P*(1+9.82/287.04 * 15.1/(T/10+273.15))			
1942.09	1966.08	P*(1+9.82/287.04 * 11.0/(T/10+273.15))			
1966.09	1969.12	P * (1 + 9.82/287.04 * 21.7/(T/10+273.15))			

Table 4-9. Formulas to obtain mean sea level pressure for station 32030 Sandvig from the data in the DMI database 'klimadb', tables 'wasa' (1874-1970) listed as '06193'. Until and including 1892 the formulas are also correcting the pressure for gravity. The formulas were deduced as part of the WASA project and are stored in the 'klimadb's table 'wasa\_formula'. 'P' is the station level pressure (0.1 hPa) and 'T' is the temperature at station level (0.1°C). The data from 1970 was already reduced to MSL.

	Station 32020 Hammer Odde Fyr/Lighthouse: Reduction of air pressure to mean sea level.			
First	Last	Pressure reduced to mean sea level (0.1 hPa) =		
(yyyy.mm) (yyyy.mm)				
19710100	-	P*(1+9.82/287.04*10.9/(T/10+273.15))		

Table 4-10. Formulas to obtain mean sea level pressure for station 32020 Hammer Odde Fyr from the data in the DMI database 'klimadb', tables 'wasa' (1970) listed as '06193' and 'clima\_man' (1971-1987). The formulas were deduced as part of the WASA project and are stored in the 'klimadb's table 'wasa\_formula'. 'P' is the station level pressure (0.1 hPa) and 'T' is the temperature at station level (0.1°C). The data from 1970 was already reduced to MSL.



#### 5. Greenland

Two Greenlandic sites have long daily series. The tables present an over view of the station data series (identified by the station name and number) making up the long series. Overlap periods have been included when available. For station co-ordinates confer with the station position file on the CD-ROM included.

## 5.1. Precipitation

Site and period	Station	Start	End
Ilulissat,	34216 Ilulissat (Jacobshavn)		31 December 1960
1873-1991	04216 Ilulissat		12 October 1991
Tasiilaq	34360 Tasiilaq (Angmagsalik)	1 October 1897	30 September 1959
1897-2003	04360 Tasiilaq	1 January 1958	31 December 2003

Table 5-1. Series of daily precipitation.

## 5.2. Minimum temperature

Site and period	Station	Start	End
Ilulissat, 1873-2003	34216 Ilulissat (Jacobshavn) 04216 Ilulissat 04221 Ilulissat Mittarfia		31 December 1960 31 August 1992 31 December 2003
Tasiilaq 1894-2003	34360 Tasiilaq (Angmagsalik) 04360 Tasiilaq	15 October 1894 1 January 1958	30 September 1959 31 December 2003

Table 5-2. Series of daily minimum temperature.

## 5.3. Maximum temperature

Site and period	Station	Start	End
Ilulissat, 1877-2003	34216 Ilulissat (Jacobshavn) 04216 Ilulissat 04221 Ilulissat Mittarfia	1 January 1877 2 January 1961 16 August 1991	31 December 1960 1 September 1992 31 December 2003
Tasiilaq 1897-2003	34360 Tasiilaq (Angmagsalik) 04360 Tasiilaq	1 October 1897 1 January 1958	30 September 1959 31 December 2003

Table 5-3. Series of daily maximum temperature



#### 6. Metadata

Changes in station position, measuring procedures or observer may all significantly bias a time series of observations. In table 6-1 is listed information on dates for introduction of the Hellmann rain gauge and for introduction of Stevenson screens. A detailed investigation of the various older instruments and instructions for the observer may be found in (Brandt, 1994a (in Danish)). All available information on station positions and rain gauge exposure is included on the CD-ROM, confer with the file description in section 7.

Station No.	Name	Fjord gauge replaced by Hellmann	Stevenson screen mounted
21100	Vestervig	~1915	1924.07
25140	Fanø	~1913	1928.08
27080	Tranebjerg	1911.09	1919.08
30380	Landbohøjskolen	Before 1922	1919.09
32030	Sandvig	1911.09	1913.09
34216	Ilulissat	1923.08	
	(Jacobshavn)		

Table 6-1. Information on station instrumentation. From 'table 6' in (Brandt, 1994b)

## 6.1. The monthly series

No test for homogeneity has been performed on the series of daily observations presented in this report. But as part of the NACD project (see introduction) the corresponding *monthly* series for some of the stations and elements were tested, adjusted and published in (Frich et al. 1996). The quality codes of these series of monthly data are shown in table 6-2 together with comments on the adjustments made. The latter information is obtained from the DMI, Weather and Climate Information Division database on time series. Element numbers and quality codes are explained in tables 6-3 and 6-4.

Station	Element	Period	Quality	Comments
No.	No.			
21100	101	1890.01-1995.12	Н	No adjustments made
21100	111	1890.01-1995.12	T	Adjusted 1890.01-1953.12 due to new observation procedure
21100	112	1890.01-1995.12	T	Adjusted 1890.01-1953.12 due to new observation procedure
21100	121	1890.01-1995.12	T	Adjusted 1890.01-1924.03 due to introduction of Stevenson
				screen 01 Apr. 1924. Adjusted 1890.01-1946.03 due to
				relocation of screen 01 Apr. 1946
21100	122	1890.01-1995.12	T	Adjusted 1890.01-1924.03 due to introduction of Stevenson
				screen 01 Apr. 1924. Adjusted 1890.01-1946.03 due to
				relocation of screen 01 Apr. 1946
21100	601	1873.10-1995.12	Н	No adjustments made
21430	601	1862.08-1994.12	N	No adjustments made
25140	101	1890.01-1995.12	Н	No adjustments made. Values from station 25150 inserted
				1942.06-1942.09, 1952.09 and 1952.11
25140	111	1890.01-1995.12	T	Adjusted 1890.01-1899.11 due to relocation of screen 1 Dec.
				1899. Adjusted 1890.01-1928.07 due to introduction of
				Stevenson screen August 1928
25140	112	1890.01-1995.12	T	Adjusted 1890.01-1899.11 due to relocation of screen 1 Dec.
				1899. Adjusted 1890.01-1928.07 due to introduction of
				Stevenson screen August 1928. Adjusted 1914.12-1928.07
				cause of break unknown



# Danish Meteorological Institute Technical Report 04-03

25140	121	1890.01-1995.12	Т	Adjusted 1890.01-1904.03 due to relocation of screen 7 Apr. 1904 and new screen. Adjusted 1890.01-1995.12 due to introduction of Stevenson screen 6 Aug. 1928. Adjusted 1890.01-1936.03 due to relocation of screen 5 Apr. 1936. Adjusted 1890.01-1944.12 due to relocation of screen 16 Dec. 1944. Adjusted 1890.01-1960.08 due to relocation of screen 22 Aug. 1960
25140	122	1890.01-1995.12	Т	Adjusted 1890.01-1928.07 due to introduction of Stevenson screen 6 Aug. 1928. Adjusted 1890.01-1944.12 due to relocation of screen 16 Dec 1944. Adjusted 1936.03-1958.07 due to relocation of screen 5 Apr. 1936 and painting of screen 2 Aug. 1958
25140	601	1871.12-1995.12	Н	No adjustments made
26410	601	1894.11-1990.12	N	No adjustments made
27080	101	1890.01-1994.12	Н	No adjustments made
27080	111	1890.01-1995.12	T	Adjusted 1890.01-1918.05 due to relocation and new Stevenson screen 01 Jun. 1918. Adjusted 1890.01-1972.11 due to relocation 16 Nov. 1972
27080	121	1890.01-1995.12	T	No adjustments made
27080	601	1872.12-1995.12	Н	No adjustments made
27080	801	1890.01-1995.12	Н	Adjusted 1890.01-1918.08 due to new observer Adjusted 1890.01-1963.08 due to new observer
30380	101	1751.01-1889.12	T	No adjustments made
30380	101	1890.01-1997.03	Е	No adjustments made
30380	111	1896.01-1995.12	T	Adjusted 1896.01-1919.08 due to new Stevenson screen 1919/08/20. Adjusted 1894.01-1984.12 due to urban warming
30380	112	1890.01-1995.12	T	Adjusted 1890.01-1919.08 due to new Stevenson screen 1919/08/20. Adjusted 1890.01-1977.12 due to urban warming.
30380	601	1861.01-1995.12	Н	No adjustments made
06193	101	1890.01-1995.12	Н	Series consists of stations 32030, 32020 and 06193. No adjustments made
06193	111	1890.01-1995.12	T	Series consists of stations 32030, 32020 and 06193. Adjusted 1890.01-1913.09 due to introduction of Stevenson screen. Adjusted 1890.01-1953.08 due to relocation of screen
06193	112	1890.01-1995.12	T	Series consists of stations 32030, 32020 and 06193. Adjusted 1890.01-1913.09 due to introduction of Stevenson screen
06193	121	1890.01-1995.12	Т	Series consists of stations 32030, 32020 and 06193. Adjusted 1890.01-1913.09 due to installation of Stevenson screen 17 Sep. 1913
06193	122	1890.01-1995.12	Т	Series consists of stations 32030, 32020 and 06193. Adjusted 1890.01-1970.12 due to relocation 31 Dec. 1970
06193	601	1890.01-1995.12	Н	Series consists of stations 32030, 32020 and 06193. No adjustments made

Table 6-2. Quality of series of monthly values published in (Frich et al. 1996).

Element no.	Description	Unit	Method
101	Average temperature	0.1 °C	Mean
111	Average maximum temperature	0.1 °C	Mean
112	Absolute maximum temperature	0.1 °C	Max
121	Average minimum temperature	0.1 °C	Mean
122	Absolute minimum temperature	0.1 °C	Min
601	Precipitation sum	0.1 mm	Sum
801	Average cloud cover	%	Mean

Table 6-3. Explanation of element numbers used in table 6-2



Quality code	Description
Н	Homogeneous, rigorously tested and possibly adjusted
T	Tested, possibly adjusted but not perfectly homogeneous
Е	Environmental changes prevent climatic change studies
I	Inhomogeneous series which is presently unadjustable
N	Not tested, but not necessarily inhomogeneous

Table 6-4. Explanation of quality codes used in table 6.2.

#### 6.2. The series of air pressure

The reduction formulas of tables 4-7 – 4-10 make use of the barometer heights listed in tables 6-5 – 6-9. To homogenize the 21100 Vestervig pressure and the 25140 Nordby observation series of the WASA dataset were additionally added the adjustments (units 0.1 hPa) listed in tables 6-8 and 6-9 (look for type '11' and '12'). Here I have left the choice to the reader: These adjustments have not been applied to the present daily value dataset, but available information on the adjustments is included in tables 6-8 and 6-9 and it is advised for the reader to take this probable need of adjustment into account when using the data.

			Station 32030 Sandvig metadata
Start	End	Туре	Description
18721111	19660901	1	55 17'N 14 47'E
19660901	-	1	15 17'N 14 46'E (Strandgade 17)
18721111	19660901	2	H = 14  m
19660901	19660901	2	$H_S = 12 \text{ m}$
19110112	19110112	2	Hb = 15.1  m
19420824	19420824	2	Hb = 15.1  m
19420825	19560101	2	Hb = 11  m
19560101	19620101	2	Hb = 22.0 m (but same observer)
19620101	19660914	2	Hb = 21.7 m (but same observer)
19660914	-	2	Hb = 11.7 m (Strandgade 17)
18721204	18880817	5	Kapplersk barometer no. 9
18880817	18971106	5	Bar. no. 2094
18971106	-	5	Bar. no. 1381
18730101	-	6	0.1 mm Hg - 7000
18730101	18930101	7	P = (p8+p14+p21)/3
18930101	19550601	7	P=(p8+p14+p21)/3 + corr. 45 N
19550601	-	7	P=(p8+p14+p21)/3 + corr. 45 N + red. sea level
18730101	18930101	10	$P=4/3*(7000+p)*(1-k1*cos(2*\emptyset))*(1+Hb/k2/(k3+t))$
18930101	19560101	10	P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa
19560101	-	10	P=4/3*(7000+p) in 0.1 hPa
-	18921200	10	P*(1-0.00259*cos(2*55.25*3.14/180))*(1+9.82/287.04*15.1/(T/10+273.15))
18930100	19420800	10	P*(1+9.82/287.04 * 15.1/(T/10+273.15))
19420900	19530800	10	P * ( 1 + 9.82/287.04 * 11.0/(T/10+273.15 ) )
19530900	19550500	10	P*(1+9.82/287.04 * 21.7/(T/10+273.15))

Table 6-5. Meta data regarding pressure measurements at station 32030 Sandvig (used in the 06193 Hammer Odde pressure series) (from NACD and WASA projects, see list of references). Description type number: 2=regarding vertical position. 5=regarding the instrument. 6=units of original measurements and later changes. 7=Formula for calculating originally published monthly values. 8=environment. 9=Time series forming part of primary time series. 10= Formula. Calculations made after original publication, e.g. reduction of air pressure. 11= Test procedure, most important results by comparison with neighbouring stations. 12= Adjustment made after test, given as 12 monthly values (0.1 hPa)



	Station 32020 Hammer Odde Fyr (lighthouse) metadata				
Start	End	Type	Description		
19530301	19740701	1	55 18' N 14 46' E		
19740701	-	1	55 18' N 14 47' E		
19530301	19740701	2	Hs = 7  m		
19740701	19800101	2	Hs = 11  m		
19800101	19800101	2	$H_S = 11.0 \text{ m}$		
19530308	19550501	3	M.P. J (signature illegible)		
19550501	19550601	3	J. Jensen		
19550601	19661101	3	E. Due		
19661101	19670301	3	J. Kyhn-Madsen		
19670301	19700801	3	E. Due		
19700801	19701001	3	Mogens Christensen		
19701001	-	3	Pedersen		
19530301	19530308	4	8, 14, 21 C.E.T.		
19530308	-	4	8, 14, 21 C.E.T.		
19530301	19720101	8	Source of data: Station book.		
19720101	19740701	8	source of data: klima_man.		
19740701	-	8	Therm. screen and prec. gauge moved		
19540701	19800101	2	Hb = 11  m		
19800101	19800101	2	Hb = 10.9  m		
19540701	19620103	5	Barometer no. ?		
19620103	-	5	Adie no. 2179		
19540701	19710101	7	P = (p8+p14+p21)/3 + corr 45 N + red. sea level		
19710101	-	7	P = (p8+p14+p21)/3 + corr. 45N		
19540701	-	10	P = 4/3*(7000+p)		
19710100	-	10	P*(1+9.82/287.04*10.9/(T/10+273.15))		

Table 6-6. Meta data regarding pressure measurements at station 32020 Hammer Odde Fyr (used in the 06193 Hammer Odde pressure series) (from NACD and WASA projects, see list of references). Description type number: 2=regarding vertical position. 5=regarding the instrument. 6=units of original measurements and later changes. 7=Formula for calculating originally published monthly values. 8=environment. 9=Time series forming part of primary time series. 10= Formula. Calculations made after original publication, e.g. reduction of air pressure. 11= Test procedure, most important results by comparison with neighbouring stations. 12= Adjustment made after test, given as 12 monthly values (0.1 hPa).

	Station 32025 Hammeren Fyr (Lighthouse) metadata				
Start	End	Туре	Description		
18800121	-	1	55 17'N 14 47'E 33U 6126.930 484.770		
18800121	-	2	$H_S = 77.4 \text{ m}$		
19441130	19441130	8	Lighthouse evacuated		
18880821	19110501	2	Hb = 80  m		
19110501	19110501	2	Hb = 88  m		
19550701	19550701	2	Hb = 76.51  m		
18880821	19040806	5	Aneroidbarometer no. 16		
19040806	19110501	5	Bar. no. 2571		
19110501	19110501	5	Bar. no. 2571		
19590601	19590601	5	Bar. no. 2571		
19120101	-	6	0.1 mm Hg - 7000		
19120101	-	7	P = (p8+p14+p21)/3 + corr. 45 N		
18880821	19120101	8	No NACD-data until 1912		
19120101	19170101	8	NACD-data from 1912 to 1916 except 1914		
19170101	19530101	8	No NACD-data from 1917 to 1953		
19530101	19530101	8	Data from 1953 not reduced to sea level		
19120101	-	10	P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa		
-	-	10	P * (1+9.82/287.04 * 76.5/(T/10+273.15))		

Table 6-7. See caption for table 6-6.



Start		Station 21100 Vestervig meta data				
(yyyymmdd)   18790701   2   Hb = 47.4 m (Hurupvej 34)   18790701   18831001   2   Hb = 25.7 m (Lindalsminde skole)   18831001   18920816   2   Hs=18-19 m on map: Hb=25.0 m, disputed point!   18920816   19240630   2   Hs=18-19 m on map: Hb=25.0 m, matter of dispute!   19240630   19370413   2   Hb = 19.3 m (Vestergade 45)   19370413   19460401   2   Hb = 19.6 m (Klostergade 20)   19810101   19810101   2   Hb = 19.6 m (Klostergade 20)   19810101   19810101   2   Hb = 19.6 m (Klostergade 20)   188300324   18800324   5   Barometer (Kappler) no. 1188   18760722   18800324   5   Barometer (Kappler) no. 1188   1831001   1831001   5   Bar. no. 2   Bar. n	Start	End	Type	Description		
18790701         18831001         2         Hb = 25.7 m (Lindalsminde skole)           18831001         18920816         2         Hs=18-19 m on map: Hb=25.0 m, disputed point!           18920816         19240630         2         Hs=22 m on map, Hb=25.0 m, matter of dispute!           19240630         19370413         2         Hb = 19.3 m (Vestergade 45)           19370413         19460401         2         Hb = 27.0 m (Margrethevej 6)           19460401         19810101         2         Hb = 19.6 m (Klostergade 20)           19810101         19810101         2         Hb = 19.6 m           18730603         18760722         5         Barometer (Kappler) no. 1188           18760722         18800324         5         Barometer cleaned. Reduction changed.           18831001         18831001         5         Bar. no. 6           18930510         18930907         5         Bar. no. 233           18930907         18970917         5         Bar. no. 2177           18970917         5         Bar. no. 2364           18731201         18930101         7         P=(p8+p14+p21)/3 + corr. 45 N           19530101         19710101         7         P=(p8+p14+p21)/3 + corr. 45 N           18930101         19750101	(yyyymmdd)	(yyyymmdd)				
18831001   18920816   2	18730603	18790701	2	Hb = 47.4  m  (Hurupvej 34)		
18920816         19240630         2         Hs=22 m on map, Hb=25.0 m, matter of dispute!           19240630         19370413         2         Hb = 19.3 m (Vestergade 45)           19370413         19460401         2         Hb = 27.0 m (Margrethevej 6)           19460401         19810101         2         Hb = 19.6 m (Klostergade 20)           19810101         19810101         2         Hb = 19.6 m (Klostergade 20)           18730603         18760722         5         Barometer (Kappler) no. 1188           18760722         18800324         5         no. 6           1883001         18831001         5         Bar no. 6           18820725         18930510         5         Bar no. 2233           18930510         18930907         5         Bar. no. 2233           18970917         -         5         Bar. no. 2364           18731201         -         6         0.1 mm Hg - 7000           18731201         18930101         7         P = (p8+p14+p21)/3 + corr. 45 N           19530101         19530101         7         P = (p8+p14+p21)/3 + corr. 45 N           18870819         18870819         8         New reduction table           18731201         18930101         10         P = (4/3*(70	18790701	18831001	2	Hb = 25.7 m (Lindalsminde skole)		
19240630	18831001	18920816	2	Hs=18-19 m on map: Hb=25.0 m, disputed point!		
19370413	18920816	19240630	2	Hs=22 m on map, Hb=25.0 m, matter of dispute!		
19460401	19240630	19370413	2	Hb = 19.3 m (Vestergade 45)		
19810101	19370413	19460401	2	Hb = 27.0 m (Margrethevej 6)		
18730603         18760722         5         Barometer (Kappler) no. 1188           18760722         18800324         5         no. 6           18800324         18800324         5         Barometer cleaned. Reduction changed.           18831001         18831001         5         Bar. no. 6           18920725         18930510         5         Barometer new. No number.           18930510         18930907         5         Bar. no. 2233           18930907         18970917         5         Bar. no. 2177           18970917         -         5         Bar. no. 2364           18731201         -         6         0.1 mm Hg - 7000           18731201         18930101         7         P=(p8+p14+p21)/3 + corr. 45 N           19530101         19710101         7         P=(p8+p14+p21)/3 + corr. 45 N           18870819         18870819         8         New reduction table           18731201         18930101         10         P=4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         0         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101         -         10	19460401	19810101	2	Hb = 19.6 m (Klostergade 20)		
18760722         18800324         5         no. 6           18800324         18800324         5         Barometer cleaned. Reduction changed.           18831001         18831001         5         Bar, no. 6           18920725         18930510         5         Bar no. 233           18930500         18930907         5         Bar, no. 2177           18970917         -         5         Bar, no. 2364           18731201         -         6         0.1 mm Hg - 7000           18731201         18930101         7         P= (p8+p14+p21)/3 + corr. 45 N           19530101         19530101         7         P=(p8+p14+p21)/3 + corr. 45 N           19530101         19710101         -         7         P=(p8+p14+p21)/3 + corr. 45 N           18870819         18870819         8         New reduction table           18731201         18930101         10         P=4/3*(7000+p)*(1+k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19750101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101         <	19810101	19810101	2	Hb = 19.6 m		
18800324         18800324         5         Barometer cleaned. Reduction changed.           18831001         18831001         5         Bar. no. 6           18920725         18930510         5         Bar no. 233           18930907         18970917         5         Bar. no. 2177           18970917         -         5         Bar. no. 2364           18731201         -         6         0.1 mm Hg - 7000           18731201         18930101         7         P = (p8+p14+p21)/3 + corr. 45 N           19530101         19750101         7         P = (p8+p14+p21)/3 + corr. 45 N + red. sea level           19710101         -         7         P = (p8+p14+p21)/3 + corr. 45 N           18870819         18870819         8         New reduction table           18731201         18930101         10         P = (/p8+p14+p21)/3 + corr. 45 N           18930101         19530101         10         P = (/p8+p14+p21)/3 + corr. 45 N           18870819         18870819         8         New reduction table           18731201         18930101         10         P = (/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P = (/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101	18730603	18760722	5	Barometer (Kappler) no. 1188		
18831001   18831001   5   Bar. no. 6   18920725   18930510   5   Barometer new. No number.   18930510   18930907   5   Bar. no. 2233   18930907   18970917   5   Bar. no. 2177   18970917   -   5   Bar. no. 2364   18731201   -   6   0.1 mm Hg - 7000   18731201   18930101   7   P = (p8+p14+p21)/3   18930101   19530101   7   P=(p8+p14+p21)/3 + corr. 45 N   19530101   19710101   7   P=(p8+p14+p21)/3 + corr. 45 N   18870819   18870819   8   New reduction table   18731201   18930101   10   P=4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))   18930101   19530101   10   P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa   19530101   19710101   0   P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa   19710101   -   10   P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa   19710101   -   10   P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa   19870800   -   9   6052   6052   -   18790600   10   P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))   18831000   18921200   10   P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))   18930100   19240600   10   P*(1-9.82/287.04*25.0/(T/10+273.15))   18930100   19240600   10   P*(1+9.82/287.04*25.0/(T/10+273.15))   19240700   19370300   10   P*(1+9.82/287.04*25.0/(T/10+273.15))	18760722	18800324	5	no. 6		
18920725         18930510         5         Barometer new. No number.           18930510         18930907         5         Bar. no. 2233           18930907         18970917         5         Bar. no. 2177           18970917         -         5         Bar. no. 2364           18731201         -         6         0.1 mm Hg - 7000           18731201         18930101         7         P= (p8+p14+p21)/3           18930101         19530101         7         P=(p8+p14+p21)/3 + corr. 45 N           19530101         19710101         7         P=(p8+p14+p21)/3 + corr. 45 N           18731201         18870819         8         New reduction table           18731201         18930101         10         P=4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         0         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18831000         18921200         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))	18800324	18800324	5	Barometer cleaned. Reduction changed.		
18930510   18930907   5   Bar. no. 2233   18930907   18970917   5   Bar. no. 2177   18970917   -     5   Bar. no. 2364   18731201   -   6   0.1 mm Hg - 7000   18731201   18930101   7   P = (p8+p14+p21)/3 + corr. 45 N   19530101   19710101   7   P = (p8+p14+p21)/3 + corr. 45 N   19530101   19710101   7   P = (p8+p14+p21)/3 + corr. 45 N   18870819   18870819   18870819   8   New reduction table   18731201   18930101   10   P = 4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))   18930101   19530101   10   P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa   19530101   19710101   10   P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa   19710101   -   10   P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa   19870800   -   9   6052   -   18790600   10   P * (1 - 0.00259 * cos(2 * 56.75 * 3.14/180 )) * (1 + 9.82/287.04 * 47.4/(T/10+273.15 ))   18831000   18921200   10   P * (1 - 0.00259 * cos(2 * 56.75 * 3.14/180 )) * (1 + 9.82/287.04 * 25.0/(T/10+273.15 ))   18930100   19240600   10   P * (1 + 9.82/287.04 * 25.0/(T/10+273.15 ))   19240700   19370300   10   P * (1 + 9.82/287.04 * 25.0/(T/10+273.15 ))   19240700   19370300   10   P * (1 + 9.82/287.04 * 25.0/(T/10+273.15 ))	18831001	18831001	5	Bar. no. 6		
18930907   18970917   5   Bar. no. 2177   18970917   -     5   Bar. no. 2364     18731201   -     6     0.1 mm Hg - 7000     18731201   18930101   7     P = (p8+p14+p21)/3     18930101   19530101   7   P = (p8+p14+p21)/3 + corr. 45 N     19530101   19710101   7   P = (p8+p14+p21)/3 + corr. 45 N + red. sea level   19710101   -     7   P = (p8+p14+p21)/3 + corr. 45 N     18870819   18870819   8   New reduction table     18731201   18930101   10   P = 4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))     18930101   19530101   10   P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa     19530101   19710101   10   P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa     19710101   -   10   P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa     19870800   -   9   6052     18790600   10   P * (1 - 0.00259*cos(2*56.75*3.14/180)) * (1 + 9.82/287.04*47.4/(T/10+273.15))   18831000   18921200   10   P * (1 - 0.00259*cos(2*56.75*3.14/180)) * (1 + 9.82/287.04*25.7/(T/10+273.15))   18930100   19240600   10   P * (1 - 9.82/287.04*25.0/(T/10+273.15))   19240700   19370300   10   P * (1 + 9.82/287.04*25.0/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*25.0/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*25.0/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*25.0/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*25.0/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*19.3/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*25.0/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*25.0/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*25.0/(T/10+273.15))     19240700   19370300   10   P * (1 + 9.82/287.04*19.3/(T/10+273.15))     19240700	18920725	18930510	5	Barometer new. No number.		
18970917         -         5         Bar. no. 2364           18731201         -         6         0.1 mm Hg - 7000           18731201         18930101         7         P = (p8+p14+p21)/3           18930101         19530101         7         P = (p8+p14+p21)/3 + corr. 45 N           19530101         19710101         7         P = (p8+p14+p21)/3 + corr. 45 N           1870819         18870819         8         New reduction table           18731201         18930101         10         P = 4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         10         P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101         -         10         P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P * (1 - 0.00259 * cos(2 * 56.75 * 3.14/180)) * (1 + 9.82/287.04 * 25.7/(T/10+273.15))           18831000         18830900         10         P * (1 - 0.00259 * cos(2 * 56.75 * 3.14/180)) * (1 + 9.82/287.04 * 25.0/(T/10+273.15))           18930100         19240600         10         P * (1 + 9.82/287.04 * 25.0/(T/10+273.15))           19240700	18930510	18930907	5	Bar. no. 2233		
18970917         -         5         Bar. no. 2364           18731201         -         6         0.1 mm Hg - 7000           18731201         18930101         7         P = (p8+p14+p21)/3           18930101         19530101         7         P = (p8+p14+p21)/3 + corr. 45 N           19530101         19710101         7         P = (p8+p14+p21)/3 + corr. 45 N           1870819         18870819         8         New reduction table           18731201         18930101         10         P = 4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         10         P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101         -         10         P = 4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P * (1 - 0.00259 * cos(2 * 56.75 * 3.14/180)) * (1 + 9.82/287.04 * 25.7/(T/10+273.15))           18831000         18830900         10         P * (1 - 0.00259 * cos(2 * 56.75 * 3.14/180)) * (1 + 9.82/287.04 * 25.0/(T/10+273.15))           18930100         19240600         10         P * (1 + 9.82/287.04 * 25.0/(T/10+273.15))           19240700	18930907	18970917	5	Bar. no. 2177		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	18970917	-	5			
18930101         19530101         7         P=(p8+p14+p21)/3 + corr. 45 N           19530101         19710101         7         P=(p8+p14+p21)/3 + corr. 45 N + red. sea level           19710101         -         7         P=(p8+p14+p21)/3 + corr. 45 N           18870819         18870819         8         New reduction table           18731201         18930101         10         P=4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P*(1 - 0.00259 * cos(2 * 56.75 * 3.14/180)) * (1 + 9.82/287.04 * 47.4/(T/10+273.15))           18790700         18830900         10         P*(1 - 0.00259 * cos(2 * 56.75 * 3.14/180)) * (1 + 9.82/287.04 * 25.7/(T/10+273.15))           18831000         18921200         10         P*(1 - 0.00259 * cos(2 * 56.75 * 3.14/180)) * (1 + 9.82/287.04 * 25.0/(T/10+273.15))           18930100         19240600         10         P*(1 + 9.82/287.04 * 25.0/(T/10+273.15))           19240700         19370300		-		0.1 mm Hg – 7000		
19530101         19710101         7         P=(p8+p14+p21)/3 + corr. 45 N + red. sea level           19710101         -         7         P=(p8+p14+p21)/3 + corr. 45 N           18870819         18870819         8         New reduction table           18731201         18930101         10         P=4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18790700         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))           18831000         18921200         10         P*(1-9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))	18731201	18930101	7	P = (p8+p14+p21)/3		
19530101         19710101         7         P=(p8+p14+p21)/3 + corr. 45 N + red. sea level           19710101         -         7         P=(p8+p14+p21)/3 + corr. 45 N           18870819         18870819         8         New reduction table           18731201         18930101         10         P=4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19710101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18831000         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))	18930101	19530101	7	P=(p8+p14+p21)/3 + corr. 45 N		
18870819         18870819         8         New reduction table           18731201         18930101         10         P=4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         10         P=4/3*(7000+p) in 0.1 hPa           19710101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18790700         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))           18831000         18921200         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))	19530101	19710101	7			
18870819         18870819         8         New reduction table           18731201         18930101         10         P=4/3*(7000+p)*(1-k1*cos(2*Ø))*(1+Hb/k2/(k3+t))           18930101         19530101         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19530101         19710101         10         P=4/3*(7000+p) in 0.1 hPa           19710101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18790700         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))           18831000         18921200         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))	19710101	-	7	a $a$ $a$		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	18870819	18870819	8	a $a$ $a$		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	18731201		10	$P=4/3*(7000+p)*(1-k1*cos(2*\emptyset))*(1+Hb/k2/(k3+t))$		
19710101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18790700         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))           18831000         18921200         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))	18930101	19530101	10			
19710101         -         10         P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa           19870800         -         9         6052           -         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18790700         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))           18831000         18921200         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))	19530101	19710101	10	1/\ \ //		
19870800         -         9         6052           -         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18790700         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))           18831000         18921200         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))		-				
-         18790600         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))           18790700         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))           18831000         18921200         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))	-	-		6052		
18790700         18830900         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))           18831000         18921200         10         P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))           18930100         19240600         10         P*(1+9.82/287.04*25.0/(T/10+273.15))           19240700         19370300         10         P*(1+9.82/287.04*19.3/(T/10+273.15))	-	18790600	10	P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*47.4/(T/10+273.15))		
18831000       18921200       10       P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))         18930100       19240600       10       P*(1+9.82/287.04*25.0/(T/10+273.15))         19240700       19370300       10       P*(1+9.82/287.04*19.3/(T/10+273.15))	18790700			P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.7/(T/10+273.15))		
18930100 19240600 10 P*(1+9.82/287.04*25.0/(T/10+273.15)) 19240700 19370300 10 P*(1+9.82/287.04*19.3/(T/10+273.15))				P*(1-0.00259*cos(2*56.75*3.14/180))*(1+9.82/287.04*25.0/(T/10+273.15))		
19240700 19370300 10 P*(1+9.82/287.04*19.3/(T/10+273.15))				P*(1+9.82/287.04 * 25.0/(T/10+273.15))		
	-					
1/3/0700	19370400	19460300	10	P*(1+9.82/287.04 * 27.0/(T/10+273.15))		
19460400 19460400 10 P * (1 + 9.82/287.04 * 19.0/(T/10+273.15 ))						
19460500 19521200 10 P * (1 + 9.82/287.04 * 19.6/(T/10+273.15))	-					
19710100 - 10 P*(1+9.82/287.04*19.6/(T/10+273.15))		-				
- 19240600 11 97.5% significant break, station moved		19240600				
- 18920800 11 97,5% significant break, station moved						
- 19671200 11 97.5% significant break, not supported in meta data				, ,		
- 19240600 12 -4.0-4.0-4.0-4.0-4.0-4.0-4.0-4.0-4.0-4.0						
- 18920800 12 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0						
- 19671200 12 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0						

Table 6-8. Meta data regarding pressure measurements at station 21100 Vestervig (from NACD and WASA projects, see references). Description *type* number: 2=regarding vertical position. 5=regarding the instrument. 6=units of original measurements and later changes. 7=Formula for calculating originally published monthly values. 8=environment. 9=Time series forming part of primary time series. 10= Formula. Calculations made after original publication, e.g. reduction of air pressure. 11= Test procedure, most important results by comparison with neighbouring stations. 12= Adjustment made after test, given as 12 monthly values (0.1 hPa) to be added.



			Station 25140 Nordby metadata
Start	End	Type	Description
-	19940114	2	No barometer on this station
18711201	18740101	2	Hb = 5.5 m (Hovedgaden 101)
18740101	18740101	2	Hb = 5.5 m (Hovedgaden 101)
18920501	18991201	2	Hb = 8.0 m. (Nordby Realskole)
18991201	19030101	2	Hb = 5.5 m (Hovedgaden 101)
19030101	19030101	2	Hb = 5.5 m (Hovedgaden 101)
19050101	19050101	2	Hb= 5.5 m (Hovedgaden 103 ???)
19130101	19130101	2	Hb = 5.5 m (Hovedgaden 103)
19280806	19360405	2	Hb = 10.5 m (Vestervejen 43)
19360405	19300403	2	Hb = 6.9 m (Kallesbjergvej 1)
19300403	19441210	2	Hb = 7 m? (situated on first floor?)
19441210	19430013	2	Hb = 3.0 m (moved to ground floor?)
19430613	19600822	2	Hb = 9.7 m Navigationsskolen, Vestervejen 1
19600822	19000822	2	Hb = 6.7 m (Bavnebjerg Toft 1)
19000822			No barometer
_	19940114	5	Barometer broken
10710722	19420620	5	
18710723	18730601	5	Siphon barometer
18730601	18770326	5	Kappler mercury (cistern) barometer no. 4
18770326	18770627	5	Bar. no. 14
18770627	18780501	5	Bar. no. 12
18780501	18780501	5	Bar. no. ?
18801227	18801227	5	New reduction tabel.
18870501	18870501	5	Barometer needs cleaning
18870721	18870721	5	Barometer cleaned?
18870820	18950721	5	Bar. no. 2015
18950721	18950816	5	Bar. no. 3021
18950816	18950816	5	Some data unreliable
18980929	19001218	5	Bar. no. 2177
19001218	19360405	5	Bar. no. 2439
19360405	19361220	5	Barometer moved
19361220	19420620	5	Bar. no. 115521
19420929	19490510	5	Bar. no. 194704
19490510	19490510	5	Barometer no. ?
18720101	-	6	0.1 mm Hg - 7000
18720101	18930101	7	P = (p8 + p14 + p22)/3
18930101	19280806	7	P=(p8+p14+p22)/3 + corr. 45 N
19280806	-	7	P = (p8+p14+p21)/3 + corr. 45 N
19280801	19360405	8	Station moved to Vestervejen 23
19360405	19441216	8	Station moved to Kallesbjergvej 1
19441216	19530101	8	Station moved to Sparekassen, Hovedgaden ?
19530101	19530101	8	From 1953: data not reduced to sea level
18720101	18930101	10	$P=4/3*(7000+p)*(1-k1*cos(2*\emptyset))*(1+Hb/k2/(k3+t))$
18930101	_	10	P=4/3*(7000+p)*(1+Hb/k2/(k3+t)) in 0.1 hPa
19420600	19420900	9	25100
19520900	19520900	9	25150
19521100	19521100	9	25150
19870800	-	9	6080
-	18920400	10	P*(1-0.00259*cos(2*55.5*3.14/180))*(1+9.82/287.04*5.5/(T/10+273.15))
18920500	18921200	10	P*(1-0.00259 * cos(2 * 55.5 * 3.14/180 )) *(1 + 9.82/287.04 * 8.0/(T/10+273.15))
18930100	18991100	10	P*(1+9.82/287.04 * 8.0/(T/10+273.15))
18991200	19280700	10	P*(1+9.82/287.04 * 5.5/(T/10+273.15))
-0001200	1,200,00	1.0	table continues
		1	1



## Danish Meteorological Institute Technical Report 04-03

Station 25140 Nordby metadata			
Start	End	Type	Description
			table continued
19280800	19360300	10	P*(1+9.82/287.04*10.5/(T/10+273.15))
19360400	19441100	10	P*(1+9.82/287.04*6.9/(T/10+273.15))
19441200	19450500	10	P*(1+9.82/287.04 * 7.0/(T/10+273.15))
19450600	19551100	10	P*(1+9.82/287.04 * 3.0/(T/10+273.15))
19551200	19600800	10	P*(1+9.82/287.04 * 9.7/(T/10+273.15))
19600900	-	10	P*(1+9.82/287.04 * 6.7/(T/10+273.15))
-	19420900	11	97,5% significant break, barometer broken
-	19360400	11	97,5% significant break, station moved
-	19661200	11	97.5% significant break, not supported in meta data
-	19040200	11	97,5% significant break, station moved
-	19441200	11	97,5% significant break, station moved
-	19420900	12	12.012.012.012.012.012.012.012.012.012.0
-	19360400	12	3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0
-	19661200	12	6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0
-	19040200	12	5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0
-	19441200	12	-21 -21 -21 -21 -21 -21 -21 -21 -21 -21

Table 6-9. Meta data regarding pressure measurements at station 25140 Nordby (from NACD and WASA projects, see list of references). Description type number: 2=regarding vertical position. 5=regarding the instrument. 6=units of original measurements and later changes. 7=Formula for calculating originally published monthly values. 8=environment. 9=Time series forming part of primary time series. 10= Formula. Calculations made after original publication, e.g. reduction of air pressure. 11= Test procedure, most important results by comparison with neighbouring stations. 12= Adjustment made after test, given as 12 monthly values (0.1 hPa).



#### 7. Contents of CD-ROM

The CD-ROM contains

1 pdf document named TR-04-03.pdf,

19 fixed ASCII format data files named P<station number>.dat,

16 fixed ASCII format data files named Tn<station number>.dat,

16 fixed ASCII format data files named Tx<station number>.dat.

2 fixed ASCII format data files named Ttt<station number>.dat.

1 fixed ASCII format data file named n27080.dat.

5 fixed ASCII format data files named PPPP<station number>.dat,

3 fixed ASCII format files: St\_ang.dat, St\_instr.dat and St\_pos.dat,

1 ASCII text format file: readme.txt,

1 WORD file: readme.doc.

Data from the CD-ROM may only be used with proper reference to the accompanying report (Laursen, Ellen Vaarby. DMI Daily Climate Data Collection 1873-2003, Denmark and Greenland. DMI Technical Report No. 04-03. Copenhagen 2004).

## 7.1. Observed daily precipitation files: P<station number>.dat

The observation files contain observed daily precipitation. There are no missing dates between the start and the end date. Any missing observations are filled in by -9999.

File name	Station and period (start and end date)		
P06193.dat	06193 Hammer Odde Fyr	01-JAN-1984	31-DEC-2003
P21100.dat	21100 Vestervig	01-JAN-1874	31-DEC-2003
P21430.dat	21430 Grønbæk/Allingskovgård	01-SEP-1874	31-DEC-2003
P25140.dat	25140 Nordby (Fanø)	01-JAN-1874	31-DEC-2003
P26400.dat	26400 Store Jyndevad	01-JUL-1987	31-DEC-2003
P26409.dat	26409 Tinglev	01-JUN-1995	31-DEC-2003
P26410.dat	26410 Broderup/Bajstrup/Gårdeby		
	/Rødebæk/Broderup Mark	01-JUL-1920	30-JUN-1993
P27080.dat	27080 Tranebjerg	01-DEC-1872	01-AUG-2001
P27082.dat	27082 Tranebjerg Øst	02-AUG-2001	31-DEC-2003
P30210a.dat	30210 Meteorologisk Institut	01-JAN-1875	30-JUN-1922
P30210b.dat	30210 Meteorologisk Institut	01-JAN-1961	31-DEC-1984
P30370.dat	30370 Botanisk Have	01-JAN-1961	31-DEC-2003
P30380.dat	30380 Landbohøjskolen	01-JAN-1874	31-DEC-2000
P32020.dat	32020 Hammer Odde Fyr	01-JAN-1961	30-JUN-1987
P32030.dat	32030 Sandvig	01-JAN-1874	31-DEC-1970
P04216.dat	04216 Ilulissat	02-JAN-1961	12-OCT-1991
P04360.dat	04360 Tasiilaq	01-JAN-1958	31-DEC-2003
P34216.dat	34216 Ilulissat (Jacobshavn)	01-JUL-1873	31-DEC-1960
P34360.dat	34360 Tasiilaq (Angmagsalik)	01-OCT-1897	30-SEP-1959



#### Format of all precipitation observation files:

Position	Format	Description
1-5	F5.0	Station no.
6-9	F4.0	Year
10-11	F2.0	Month
12-13	F2.0	Day
14-15	F2.0	Hour (Local time or, since 2001, (station 06193, 04216, 04221, 04360 whole period) UTC)
16-20	F5.0	Precipitation previous 24 hours (0.1 mm), -1 means more than 0 mm but less than 0.1 mm, -9999 means missing value. <b>Please note:</b> Before 1931 the 'daily precipitation' for <b>station 21430</b> may in some cases be the precipitation accumulated for several days or for the whole month. For <b>station 34216</b> and <b>station 34360</b> the 'daily precipitation' may in some cases be the precipitation accumulated for several days.

# 7.2. Daily minimum temperature files: Tn<station number>.dat

These observation files contain observed daily minimum temperature. There are no missing dates between the start and the end date. Any missing observations are filled in by -9999.

File name	Station and period (start and end date)		
Tn06193.dat	06193 Hammer Odde Fyr	01-JAN-1984	31-DEC-2003
Tn21100.dat	21100 Vestervig	19-JUN-1874	10-SEP-2003
Tn25140.dat	25140 Nordby (Fanø)	01-MAY-1874	18-JUL-2003
Tn27080.dat	27080 Tranebjerg	01-DEC-1872	10-AUG-2003
Tn30380.dat	30380 Landbohøjskolen	01-JAN-1874	30-JUN-1997
Tn06051.dat	06051 Vestervig	02-OCT-2003	31-DEC-2003
Tn06088.dat	06088 Nordby	25-JUL-2003	31-DEC-2003
Tn06132.dat	06132 Tranebjerg Øst	21-AUG-2003	31-DEC-2003
Tn06186.dat	06186 Landbohøjskolen	01-DEC-1995	31-DEC-2003
Tn32020.dat	32020 Hammer Odde Fyr	01-JAN-1971	24-JUN-1987
Tn32030.dat	32030 Sandvig	01-JAN-1874	31-DEC-1970
Tn04216.dat	04216 Ilulissat	01-JAN-1961	31-AUG-1992
Tn04221.dat	04221 Ilulissat Mittarfia	16-AUG-1991	31-DEC-2003
Tn04360.dat	04360 Tasiilaq	01-JAN-1958	31-DEC-2003
Tn34216.dat	34216 Ilulissat (Jacobshavn)	01-JUL-1873	31-DEC-1960
Tn34360.dat	34360 Tasiilaq (Angmagsalik)	15-OCT-1894	30-SEP-1959



#### Format of all minimum temperature observation files:

Position	Format	Description
1-5	F5.0	Station no.
6-9	F4.0	Year
10-11	F2.0	Month
12-13	F2.0	Day
14-15	F2.0	Hour (Local time or, since 2001, (station 06193, 04216, 04221, 04360 whole period) UTC)
16-20	F5.0	Minimum temperature previous 24 hours (0.1°C).

# 7.3. Daily maximum temperature files: Tx<station number>.dat

These observation files contain observed daily maximum temperature. There are no missing dates between the start and the end date. Any missing observations are filled in by -9999.

File name	Station and period (start and end date)		
Tx06193.dat	06193 Hammer Odde Fyr	01-JAN-1984	31-DEC-2003
Tx21100.dat	21100 Vestervig	02-AUG-1874	10-SEP-2003
Tx25140.dat	25140 Nordby (Fanø)	02-MAY-1874	18-JUL-2003
Tx27080.dat	27080 Tranebjerg	01-JAN-1873	10-AUG-2003
Tx30380.dat	30380 Landbohøjskolen	01-JAN-1874	30-JUN-1997
Tx06051.dat	06051 Vestervig	02-OCT-2003	31-DEC-2003
Tx06088.dat	06088 Nordby	25-JUL-2003	31-DEC-2003
Tx06132.dat	06132 Tranebjerg	21-AUG-2003	31-DEC-2003
Tx06186.dat	06186 Landbohøjskolen	01-DEC-1995	31-DEC-2003
Tx32020.dat	32020 Hammer Odde Fyr	01-JAN-1971	24-JUN-1987
Tx32030.dat	32030 Sandvig	02-APR-1874	31-DEC-1970
tx04216.dat	04216 Ilulissat	02-JAN1961	01-SEP-1992
tx04221.dat	04221 Ilulissat Mittarfia	16-AUG-1991	31-DEC-2003
tx04360.dat	04360 Tasiilaq	01-JAN-1958	31-DEC-2003
tx34216.dat	34216 Ilulissat (Jacobshavn)	01-JAN-1877	31-DEC-1960
tx34360.dat	34360 Tasiilaq (Angmagsalik)	01-OCT-1897	30-SEP-1959

#### Format of all maximum temperature observation files:

Position	Format	Description
1-5	F5.0	Station no.
6-9	F4.0	Year
10-11	F2.0	Month
12-13	F2.0	Day
14-15	F2.0	Hour (DNT or (stations 06186, 06193) UTC)
16-20	F5.0	Maximum temperature (0.1°C). The maximum temperature, covering the previous 24 hours, is read in the morning (the same as the minimum temperature). For the manual climate stations (21100, 25140, 27080, 30380, 32020, 32030, 34216 and 34360) <b>please note:</b> During the periods 1 Jan 1874-31 Dec 1912 and 2 Jan 1971- 31 Dec 2000 the maximum temperature is listed on the date it has been read. During the period 1 Jan 1913- 1 Jan 1970 the



maximum temperature is listed on the previous day (where it most often occurs).

# 7.4. Daily air temperature at 14:00 hours files: Ttt27080.dat

These observation files contains air temperature observed daily at 14:00 hours DNT or 12 UTC. There are no missing dates between the start and the end date. Any missing observations are filled in by -9999.

File name	Station and period (start and end date)		
Ttt27080.dat	27080 Tranebjerg	01-DEC-1872	20-AUG-2003
Ttt06132.dat	06132 Tranebjerg	21-AUG-2003	31-DEC-2003

#### Format of the files:

Format	Description
F5.0	Station no.
F4.0	Year
F2.0	Month
F2.0	Day
F2.0	Hour (until and including January 2000: DNT: Danish Normal Time, starting
	1 February 2000: UTC)
F5.0	Air temperature (0.1°C).
	F5.0 F4.0 F2.0 F2.0 F2.0

## 7.5. Daily cloud cover at 8, 14 and 21 hours file: n27080.dat

This observation file contains cloud cover observed daily at 8:00, 14:00 and 21:00 hours DNT. There are no missing dates between the start and the end date. Any missing observations are filled in by -9999.

File name	Station and period (start and end date)		
n27080.dat	27080 Tranebjerg	01-DEC-1872	31-JAN-2000

#### Format of the cloud cover file:

Position	Format	Description
1-5	F5.0	Station no.
6-9	F4.0	Year
10-11	F2.0	Month
12-13	F2.0	Day
14-18	F5.0	Cloud cover at 8:00 (Please note change in units listed below)
9-23	F5.0	Cloud cover at 14:00 (Please note change in units listed below)
24-28	F5.0	Cloud cover at 21:00 (Please note change in units listed below)
Cloud cover	units:	
1872-1873:	0-4	(0= cloudless, 1= 1/4 part clouded,, 4= overcast)
1874-1952:	0-10	(0= cloudless, 1= 1/10 part clouded,, 10= overcast)
Since 1953:	0-8	(0= cloudless, 1= 1/8 part clouded,, 8 = overcast)



## 7.6. Daily air pressure files: pppp<station number>.dat

These observation files contain observed daily average air pressure (MSL). There are no missing dates between the start and the end date. Any missing observations are filled in by -9999.

File name	Station and period (start and end date)			
pppp21100.dat	21100 Vestervig	01-JAN-1874	01-AUG-1987	
pppp25140.dat	25140 Nordby	01-JAN-1874	01-AUG-1987	
pppp06052.dat	06052 Thyborøn	02-MAR-1962	31-DEC-2003	
pppp06080.dat	06080 Esbjerg Airport	29-MAR-1959	31-DEC-2003	
pppp06193.dat	06193 Hammer Odde Fyr	01-JAN-1874	31-DEC-2003	

#### Format of all air pressure observation files:

Position	Format	Description
1-5	F5.0	Station no.
6-9	F4.0	Year
10-11	F2.0	Month
12-13	F2.0	Day
14-15	F2.0	Hour (UTC)
16-20	F5.0	Air pressure reduced to MSL (0.1 hPa)
21-25	F5.0	No. of observations in daily average (-9999: Not available)

## 7.7. Station instrumentation file: St\_instr.dat

The file contains the information contained in the table below: (From 'table 6' in Brandt, Marie Louise, DMI Technical Report 94-20 'Summary of Meta data from NACD-stations in Denmark, Greenland and the Faroe Islands 1872-1994', DMI København 1994).

Station No.	Name	Fjord gauge replaced by Hellmann	Stevenson screen mounted
21100	Vestervig	~1915	1924.07
25140	Fanø	~1913	1928.08
27080	Tranebjerg	1911.09	1919.08
30380	Landbohøjskolen	Before 1922	1919.09
32030	Sandvig	1911.09	1913.09



## 7.8. Station angles file St\_ang.dat

The file contains the digitised information on the rain gauge exposure. The information is expressed as the angle to the horizon in eight directions, as the summarising angle index and the exposure class. The information is only available for some of the stations and only through the recent years. The file has the following format:

Position	Format	Description
1-5	F5.0	Station no.
6-25	Datetime20	Start date (DD-MMM-YYYY HH:MM:SS)
26-45	Datetime20	End date (DD-MMM-YYYY HH:MM:SS)
46-51	F6.0	Angle towards N
52-57	F6.0	Angle towards NE
58-63	F6.0	Angle towards E
64-69	F6.0	Angle towards SE
70-75	F6.0	Angle towards S
76-81	F6.0	Angle towards SW
82-87	F6.0	Angle towards W
88-93	F6.0	Angle towards NW
94-98	F5.0	Angle index
99-176	A78	Remarks
177-178	A2	Exposure class

The following dependence of exposure class on angle index are used:

Exposure class	Description	Min. index	Max. index
A	Well sheltered	20	30
В	Moderately sheltered	6	19
С	Freely exposed, unsheltered	0	5
D	Overprotected, too well sheltered	31	127

## 7.9. Station position file: St\_pos.dat

The file contains the digitised information on the station positions and thereby on any removals of the stations during the operation period. The file has the following format:

Position	Format	Description
1-5	F5.0	Station no.
6-35	A30	Station name
36-45	A10	Station type (synop_dk = part of WMO synoptic net, climate_man = manual climate station, , climate aut = automatic climate station, precip man = manual
		precipitation station)
46-56	Date11	Start date (dd-mmm-yyyy)
57-67	Date11	End date (dd-mmm-yyyy)
68-70	A3	UTM zone
71-81	F11.0	Eastings
82-92	F11.0	Northings
93-98	F6.0	Elevation (metres above mean sea level)
99-109	F11.0	Latitude, degrees N (dddmmss)
110-120	F11.0	Longitude, degrees E (dddmmss)



#### 8. References

ACCORD, Atmospheric Circulation Classification and Regional Downscaling. See the Internet site http://www.cru.uea.ac.uk/cru/projects/accord/ for particulars.

Brandt, Marie Louise, DMI Technical Report 94-19 'Instrumenter og rekonstruktioner. En illustreret gennemgang af arkivmateriale', DMI København 1994a.

Brandt, Marie Louise, DMI Technical Report 94-20 'Summary of Meta data from NACD-stations in Denmark, Greenland and the Faroe Islands 1872-1994', DMI København 1994b.

Danmarks Klimacenter, see http://www.dmi.dk/dmi/dkc-1 (in Danish).

Frich, P. (Co-ordinator), H. Alexandersson, J. Ashcroft, B. Dahlström, G. Demarée, A. Drebs, A. van Engelen, E.J. Førland, I. Hanssen-Bauer, R. Heino, T. Jónsson, K. Jonasson, L. Keegan, P.Ø. Nordli, Schmith, T. Steffensen, H. Tuomenvirta, O.E. Tveito, 1996: North Atlantic Climatological Dataset (NACD Version 1) -Final Report. DMI Scientific Report 96-1, 47 pp. A pdf-version of the report may be downloaded from the DMI Internet home site http://www.dmi.dk/.

Jørgensen, Peter Viskum and Ellen Vaarby Laursen. DMI monthly climate data collection 1860-2002, Denmark, Faroe Islands and Greenland. An update of: NACD, REWARD, NORDKLIM and NARP datasets. Version 1. DMI Technical Report No. 03-26. Copenhagen 2003.

Laursen, Ellen Vaarby, Jesper Larsen, Kirsten Rajakumar, John Cappelen and Torben Schmith. Observed daily precipitation, temperature and cloud cover from seven Danish sites, 1874-2000. DMI Technical Report No. 01-10. Copenhagen 2001.

Laursen, Ellen Vaarby. Observed daily precipitation, maximum temperature and minimum temperature from Ilulissat and Tasiilaq, 1873-2000. DMI Technical Report No. 02-15. Copenhagen 2002.

Laursen, Ellen Vaarby. Metadata, selected climatological and synoptic stations, 1750-1996. DMI Technical Report No. 03-24. Copenhagen 2003.

Munksgaard Multimedia. CD-ROM "Vejr & Vind", Copenhagen 1997.

NACD, North Atlantic Climatological Dataset. See (Frich et al. 1996).

Schmith, T and M.L. Brandt. Correction, Reduction and Homogenization of Barometer Records. DMI Technical report no. 94-22. Copenhagen 1994.

Schmith, T., H. Alexandersson, K. Iden and H. Tuomenvirta. North Atlantic-European pressure observations 1868-1995 (WASA dataset version 1.0). DMI Technical report no. 97-3. Copenhagen 1997

WASA: 'The impact of storms on waves and surges: Changing climate in the past 100 years and perpectives for the future'. See the project report: Schmith et al. 1997.